



- ▶ Flaps folded in line
- ▶ Guaranteed squaring of the case
- ▶ Extensive size range capability



Your products are in good hands

C

Automatic

6



Case

Gluers

Top flap gluing



Top and bottom flap gluing



A case flap gluing solution to meet your specific requirements:

▶ ADVANTAGES

- > Internal flaps precisely folded by a fixed guide and an articulated arm, then evenly glued
- > External flaps folded progressively
- > Pressure applied evenly to the sealed case

▶ ERGONOMICS

- > Compact machine
- > Continuous case transfer
- > Extensive size range
- > Versatile layout

▶ PERFORMANCE

- > Robust design
- > Quick size changeovers
- > Speed: 66 cases/min
- > Option: rotating folding arm for high speeds

	Speed	Length case L	Width case W	Height case H	Conveyor	Sealing
C641.20/40						
Min/Max	33 c/min	200/350-550	150/350	150/360	Band	Top flaps only
C642.20						
Min/Max	from 26 to 50 c/min with rotating folding arm	120/350	102/270	130/360	Flight bars	Top flaps only
C642.40						
Min/Max	23 c/min	200/550	150/350	150/360	Flight bars	Top flaps only
C644.20						
Min/Max	26 c/min	180/300	150/350	130/360	Flight bars	Top & bottom flaps
C644.40						
Min/Max	23 c/min	200/550	150/350	150/360	Flight bars	Top & bottom flaps
C646.40						
Min/Max	9 c/min	200/500	150/400	150/450	Flight bars static pressing	Top flaps only
C651.30						
Min/Max only	22 c/min	185/420	125/320	180/350	Band	Top flaps
C681.40						
Min/Max	33 c/min per lane	200/550	150/350	150/360	Band dual lanes	Top flaps only

Your products are in good hands
www.cermex.eu

CERMEX – Headquarters and Case Packing/Palletizing BU
87, route de Seurre - B.P.3 - 21910 Corcelles-lès-Cîteaux - France
Tel.: +33 (0) 380 707 100 - Fax: +33 (0) 380 792 900 - E-mail: contact.us@cermex.fr

CERMEX – Shrink-Wrapping BU
20, rue de la Vallée - B.P.13124 - 14103 Lisieux Cedex - France
Tel.: +33 (0) 231 485 000 - Fax: +33 (0) 231 317 088 - E-mail: cermex.oc@cermex.fr